




ENTERTAINMENT LIGHTING





Key features:

- Battery powered
- 5V micro USB charger
- MP3 speaker
- Remote control
- Magnet installation
- Bluetooth connection
- Sound activated
- Rotating light effect



PARTY BALL


The Party Ball is a battery powered LED crystal ball. User can easily charge it via the 5V micro usb charger. It features rotating light effect with LED rings, built-in speaker, IR control, BT connection, magnet installation.

Technical Data

Power supply:	5V 3A via charger at 100-240 V AC, 50/60 Hz
Light source:	3*1W RGB LEDs+48*5mm RGB LEDs ring
Control mode:	Sound active, bluetooth connection, internal programs
Power consumption:	5.5W
Battery pack type:	Li-ion 3.7V 2000mAh 7.4Wh
Battery operation:	2.5 hours(with music playing)
Recharging time:	3 hours
Battery IR control:	CR2025 button cell 3 V
Housing:	Colour black, ABS
Size(HxD):	130 x 128 mm(5.1 x 5in)
Package(carton):	130 x 130 x 140mm(5.1 x 5.1 x 5.5in)
N.W.:	0.4kg(0.9lb)
G.W.:	0.5kg(1.3lb)
Accessories:	IR remote, Micro usb cable, 5V 3A charger(optional)
Certificates:	CE, RED
Enviroment:	IP20


DJ INSTALL

PARTY BEAM



Key features:

- Battery powered
- 5V micro USB charger
- MP3 speaker
- Remote control
- Magnet installation
- Bluetooth connection
- Sound activated
- R-G-B beam effect



The Party Beam is a battery powered LED beam effect. User can easily charge it via the 5V micro usb charger. It features rotating light effect with LED rings, built-in speaker, IR control, BT connection, magnet installation.

Technical Data

Power supply:	5V 3A via charger at 100-240 V AC, 50/60 Hz
Light source:	3*1W RGB LEDs+48*5mm RGB LEDs ring
Control mode:	Sound active, bluetooth connection, internal programs
Power consumption:	5.5W
Battery pack type:	Li-ion 3.7V 2000mAh 7.4Wh
Battery operation:	2.5 hours(with music playing)
Recharging time:	3 hours
Battery IR control:	CR2025 button cell 3 V
Housing:	Colour black, ABS
Size(HxD):	125 x 90 mm(4.9 x 3.5in)
Package(carton):	130 x 130 x 140mm(5.1 x 5.1 x 5.5in)
N.W.:	0.4kg(0.9lb)
G.W.:	0.5kg(1.3lb)
Accessories:	IR remote, Micro usb cable, 5V 3A charger(optional)
Certificates:	CE, RED
Environment:	IP20



Key features:

- Battery powered
- 5V micro USB charger
- Remote control
- Preset programs
- Sound activated
- DMX, master-slave function
- Compact size, easy installation



DJ PAR 112A

The DJ Par 112A is a battery powered mini LED par light. User can easily charge it via the 5V micro usb charger. It features 12x1W RGBW LEDs, colorful built-in effects, dual bracket design, IR controllable.

Technical Data

Power supply:	5V 3A via charger at 100-240 V AC, 50/60 Hz
Light source:	12*1W RGBW LEDs
Control mode:	DMX 512, Sound active, Auto programs, IR control
Beam angle:	12 °
DMX channel:	6
Power consumption:	10W
Battery pack type:	Li-ion 3.7V 2000mAh 7.4Wh
Battery operation:	3 hours
Recharging time:	3 hours
Battery IR control:	CR2025 button cell 3 V
Housing:	Colour black, ABS
Size:	154 x 145 x 191mm(6.1 x 5.7 x 7.5in)
Package(carton):	170 x 127 x 200mm(6.7 x 5 x 7.9in)
N.W.:	0.4kg(0.9lb)
G.W.:	0.5kg(1.3lb)
Accessories:	IR remote, Micro usb cable, 5V 3A charger(optional)
Certificates:	CE
Enviroment:	IP20

DJ INSTALL

DJ PAR 112B



COMPACT



RGB LED



DMX 512



Battery



IR Control



Key features:

- Battery powered
- 5V micro USB charger
- RGB tri-color LED
- Remote control
- Preset programs
- Sound activated
- DMX, master-slave function
- Compact size, easy installation



The DJ Par 112A is a battery powered mini LED par light. User can easily charge it via the 5V micro usb charger. It features 12x1W RGB tri-color LEDs, colorful built-in effects, dual bracket design, IR controllable.


Technical Data

Power supply:	5V 3A via charger at 100-240 V AC, 50/60 Hz
Light source:	12*1W RGB 3in1 LEDs
Control mode:	DMX 512, Sound active, Auto programs, IR control
Beam angle:	12 °
DMX channel:	5
Power consumption:	10W
Battery pack type:	Li-ion 3.7V 2000mAh 7.4Wh
Battery operation:	3 hours
Recharging time:	3 hours
Battery IR control:	CR2025 button cell 3 V
Housing:	Colour black, ABS
Size:	154 x 145 x 191mm(6.1 x 5.7 x 7.5in)
Package(carton):	170 x 127 x 200mm(6.7 x 5 x 7.9in)
N.W.:	0.4kg(0.9lb)
G.W.:	0.5kg(1.3lb)
Accessories:	IR remote, Micro usb cable, 5V 3A charger(optional)
Certificates:	CE
Enviroment:	IP20



Key features:

- Battery powered
- 5V micro USB charger
- Remote control
- Preset programs
- Sound activated
- DMX, master-slave function
- Compact size, easy installation



DJ BEAM

Powered by 8W RGBW quad color LED, the DJ Beam is a handy LED beam effect. It features enormous preset programs, fat beam effect, dual bracket design, IR controllable. With a built-in Li-ion battery, user can easily charge it via the 5V micro usb charger.

Technical Data

Power supply:	5V 3A via charger at 100-240 V AC, 50/60 Hz
Light source:	1x8W RGBW 4in1 LED
Control mode:	DMX 512, Sound active, Auto programs, IR control
Beam angle:	5°
DMX channel:	6
Power consumption:	10W
Battery pack type:	Li-ion 3.7V 2000mAh 7.4Wh
Battery operation:	3 hours
Recharging time:	3 hours
Battery IR control:	CR2025 button cell 3 V
Housing:	Colour black, ABS
Size:	154 x 145 x 191mm(6.1 x 5.7 x 7.5in)
Package(carton):	170 x 127 x 200mm(6.7 x 5 x 7.9in)
N.W.:	0.4kg(0.9lb)
G.W.:	0.5kg(1.3lb)
Accessories:	IR remote, Micro usb cable, 5V 3A charger(optional)
Certificates:	CE
Environment:	IP20

DJ INSTALL

DJ BALL



Key features:

- Battery powered
- 5V micro USB charger
- RGB-UV LED
- Remote control
- Various preset programs
- Sound activated
- DMX, master-slave function
- Compact size, easy installation



The DJ Ball is a battery powered DMX crystal ball. Perfect for mobile use as can be charged via the 5V micro usb charger or a power bank. It features 4x3W RGB-UV tri-color LEDs, enormous built-in effects, dual bracket design, IR controllable.

Technical Data

Power supply:	5V 3A via charger at 100-240 V AC, 50/60 Hz
Light source:	4*3W RGB-UV LEDs
Control mode:	DMX 512, Sound active, Auto programs, IR control
DMX channel:	6
Power consumption:	12W
Battery pack type:	Li-ion 3.7V 2000mAh 7.4Wh
Battery operation:	3 hours
Recharging time:	3 hours
Battery IR control:	CR2025 button cell 3 V
Housing:	Colour black, ABS
Size:	154 x 145 x 191mm(6.1 x 5.7 x 7.5in)
Package(carton):	170 x 127 x 200mm(6.7 x 5 x 7.9in)
N.W.:	0.4kg(0.9lb)
G.W.:	0.5kg(1.3lb)
Accessories:	IR remote, Micro usb cable, 5V 3A charger(optional)
Certificates:	CE
Environment:	IP20



Key features:

- Battery powered
- 5V micro USB charger
- Remote control
- Auto strobe, full on output
- Sound activated
- DMX, master-slave function
- Compact size, perfect mobile use



DJ STROBE W

Powered by 120*3528 SMD white LEDs LED, the DJ Strobe W is a mini white LED strobe light. It features full on output available, dual bracket design, IR controllable. With a built-in Li-ion battery, user can easily charge it via the 5V micro usb charger.

Technical Data

Power supply:	5V 3A via charger at 100-240 V AC, 50/60 Hz
Light source:	120*3528 SMD white LEDs
Control mode:	DMX 512, Sound active, Auto programs, IR control
DMX channel:	2
Power consumption:	8W
Battery pack type:	Li-ion 3.7V 2000mAh 7.4Wh
Battery operation:	3.5 hours
Recharging time:	3 hours
Battery IR control:	CR2025 button cell 3 V
Housing:	Colour black, ABS
Size:	154 x 145 x 191mm(6.1 x 5.7 x 7.5in)
Package(carton):	170 x 127 x 200mm(6.7 x 5 x 7.9in)
N.W.:	0.4kg(0.9lb)
G.W.:	0.5kg(1.3lb)
Accessories:	IR remote, Micro usb cable, 5V 3A charger(optional)
Certificates:	CE
Enviroment:	IP20

DJ INSTALL

DJ BALL



COMPACT

SMD
LED

DMX 512



Battery



IR Control



Key features:

- Battery powered
- 5V micro USB charger
- Remote control
- Auto strobe, full on output
- Sound activated
- DMX, master-slave function
- Compact size, perfect mobile use



Powered by 120*3528 SMD white LEDs LED, the DJ Strobe W is a mini white LED strobe light. It features full on output available, dual bracket design, IR controllable. With a built-in Li-ion battery, user can easily charge it via the 5V micro usb charger.

Technical Data

Power supply:	5V 3A via charger at 100-240 V AC, 50/60 Hz
Light source:	120*3528 SMD UV LEDs
Control mode:	DMX 512, Sound active, Auto programs, IR control
DMX channel:	2
Power consumption:	8W
Battery pack type:	Li-ion 3.7V 2000mAh 7.4Wh
Battery operation:	3.5 hours
Recharging time:	3 hours
Battery IR control:	CR2025 button cell 3 V
Housing:	Colour black, ABS
Size:	154 x 145 x 191mm(6.1 x 5.7 x 7.5in)
Package(carton):	170 x 127 x 200mm(6.7 x 5 x 7.9in)
N.W.:	0.4kg(0.9lb)
G.W.:	0.5kg(1.3lb)
Accessories:	IR remote, Micro usb cable, 5V 3A charger(optional)
Certificates:	CE
Enviroment:	IP20



Key features:

- Battery powered
- 5V micro USB charger
- Remote control
- Auto strobe, full on output
- Sound activated
- DMX, master-slave function
- Compact size, perfect mobile use



DJ STROBE W

Powered by 120*3528 SMD white LEDs LED, the DJ Strobe W is a mini white LED strobe light. It features full on output available, dual bracket design, IR controllable. With a built-in Li-ion battery, user can easily charge it via the 5V micro usb charger.

Technical Data

Power supply:	5V 3A via charger at 100-240 V AC, 50/60 Hz
Light source:	4x3W RGBW LEDs
Control mode:	DMX 512, Sound active, Auto programs, IR control
DMX channel:	8
Power consumption:	10W
Battery pack type:	Li-ion 3.7V 2000mAh 7.4Wh
Battery operation:	3.5 hours
Recharging time:	3 hours
Battery IR control:	CR2025 button cell 3 V
Housing:	Colour black, ABS
Size:	160 x 160 x 200mm(6.3 x 6.3 x 7.9in)
N.W.:	0.4kg(0.9lb)
G.W.:	0.5kg(1.3lb)
Accessories:	IR remote, Micro usb cable, 5V 3A charger(optional)
Certificates:	CE
Environment:	IP20

PARTY PAR 112




Key features:

- Battery powered
- 5V micro USB charger
- Remote control
- Auto strobe, full on output
- Sound activated
- DMX, master-slave function
- Compact size, perfect mobile use

Powered by 120*3528 SMD white LEDs LED, the DJ Strobe W is a mini white LED strobe light. It features full on output available, dual bracket design, IR controllable. With a built-in Li-ion battery, user can easily charge it via the 5V micro usb charger.

Technical Data

Power supply:	5V 3A via charger at 100-240 V AC, 50/60 Hz
Light source:	120*3528 SMD white LEDs
Control mode:	DMX 512, Sound active, Auto programs, IR control
DMX channel:	2
Power consumption:	8W
Battery pack type:	Li-ion 3.7V 2000mAh 7.4Wh
Battery operation:	3.5 hours
Recharging time:	3 hours
Battery IR control:	CR2025 button cell 3 V
Housing:	Colour black, ABS
Size:	154 x 145 x 191mm(6.1 x 5.7 x 7.5in)
Package(carton):	170 x 127 x 200mm(6.7 x 5 x 7.9in)
N.W.:	0.4kg(0.9lb)
G.W.:	0.5kg(1.3lb)
Accessories:	IR remote, Micro usb cable, 5V 3A charger(optional)
Certificates:	CE
Enviroment:	IP20





COMPACT

LED

TECH




DMX 512

PARTY PAR 154



Key features:

- Battery powered
- 5V micro USB charger
- Remote control
- Auto strobe, full on output
- Sound activated
- DMX, master-slave function
- Compact size, perfect mobile use



Powered by 120*3528 SMD white LEDs LED, the DJ Strobe W is a mini white LED strobe light. It features full on output available, dual bracket design, IR controllable. With a built-in Li-ion battery, user can easily charge it via the 5V micro usb charger.

Technical Data

Power supply:	5V 3A via charger at 100-240 V AC, 50/60 Hz
Light source:	120*3528 SMD UV LEDs
Control mode:	DMX 512, Sound active, Auto programs, IR control
DMX channel:	2
Power consumption:	8W
Battery pack type:	Li-ion 3.7V 2000mAh 7.4Wh
Battery operation:	3.5 hours
Recharging time:	3 hours
Battery IR control:	CR2025 button cell 3 V
Housing:	Colour black, ABS
Size:	154 x 145 x 191mm(6.1 x 5.7 x 7.5in)
Package(carton):	170 x 127 x 200mm(6.7 x 5 x 7.9in)
N.W.:	0.4kg(0.9lb)
G.W.:	0.5kg(1.3lb)
Accessories:	IR remote, Micro usb cable, 5V 3A charger(optional)
Certificates:	CE
Enviroment:	IP20

New

FROG LASER




Key features:

- 10W RGBW LED
- Strong beam effect
- Super compact, 1.7 KG only
- DMX, Auto, Sound control
- 9 preset programs
- Sound activate
- Patent designed base

The Froggy is a 10W powered mini LED moving head beam effect with RGBW color mixing. Features auto show(9 preset programs), sound activated, DMX 512 control.

Technical Data


Power supply:	100-240 V AC, 50/60 Hz
Light source:	Green, Red
Control mode:	DMX 512, Sound active, Auto program
Pan:	540°
Tilt:	270°
Beam angle:	5°
Housing:	Colour black, ABS+Aluminum
Power connection:	16A cable gland power cord
Signal connection:	3 pin XLR in&out
Size:	140 x 110 x 250mm(5.5 x 4.3 x 9.8in)
Package(carton):	185 x 180 x 240mm(7.3 x 7.1 x 9.5in)
N.W.:	1.7kg(3.8lb)
G.W.:	2.5kg(5.5lb)
Accessories:	Clamp(optional)
Environment:	IP20





Key features:

- 10W RGBW LED
- Strong beam effect
- Super compact, 1.7 KG only
- DMX, Auto, Sound control
- 9 preset programs
- Sound activate
- Efficient low noise fan



XY-1

The XY-1 is a 10W powered mini LED moving head beam effect with RGBW color mixing. Features auto show(9 preset programs), sound activated, DMX 512 control.

Technical Data

Power supply:	100-240 V AC, 50/60 Hz
Light source:	10W RGBW LEDs
Power consumption:	20W
Control mode:	DMX 512, Sound active, Auto program
DMX channel:	9/11
Pan:	540°
Tilt:	270°
Beam angle:	5°
Housing:	Colour black, Aluminum
Power connection:	16A cable gland power cord/IEC in&out
Signal connection:	3 pin XLR in&out
Size:	135 x 96 x 195mm(5.3 x 3.8 x 7.7in)
N.W.:	1.7kg(3.8lb)
G.W.:	2.5kg(5.5lb)
Accessories:	Clamp(optional)
Environment:	IP20

FROGGY




Key features:

- 10W RGBW LED
- Strong beam effect
- Super compact, 1.7 KG only
- DMX, Auto, Sound control
- 9 preset programs
- Sound activate
- Patent designed base

The Froggy is a 10W powered mini LED moving head beam effect with RGBW color mixing. Features auto show(9 preset programs), sound activated, DMX 512 control.

Technical Data

Power supply:	100-240 V AC, 50/60 Hz
Light source:	10W RGBW LEDs
Power consumption:	20W
Control mode:	DMX 512, Sound active, Auto program
DMX channel:	9/11
Pan:	540°
Tilt:	270°
Beam angle:	5°
Housing:	Colour black, ABS+Aluminum
Power connection:	16A cable gland power cord
Signal connection:	3 pin XLR in&out
Size:	140 x 110 x 250mm(5.5 x 4.3 x 9.8in)
Package(carton):	185 x 180 x 240mm(7.3 x 7.1 x 9.5in)
N.W.:	1.7kg(3.8lb)
G.W.:	2.5kg(5.5lb)
Accessories:	Clamp(optional)
Certificates:	CE
Enviroment:	IP20





COMPACT



RGBW LED




DMX 512



Key features:

- 10W RGBW LED
- Strong beam effect
- Super compact, 1.7 KG only
- DMX, Auto, Sound control
- 9 preset programs
- Sound activate
- Efficient low noise fan



FROG BEAM

The Frog Beam is a 10W powered mini LED moving head beam effect with RGBW color mixing. Features auto show(9 preset programs), sound activated, DMX 512 control, 5° narrow beam angle.

Technical Data

Power supply:	100-240 V AC, 50/60 Hz
Light source:	10W RGBW LEDs
Power consumption:	20W
Control mode:	DMX 512, Sound active, Auto program
DMX channel:	9/11
Pan:	540°
Tilt:	270°
Beam angle:	5°
Housing:	Colour black, Aluminum
Power connection:	16A cable gland power cord/IEC in&out
Signal connection:	3 pin XLR in&out
Size:	135 x 96 x 195mm(5.3 x 3.8 x 7.7in)
Package(carton):	286 x180 x 260mm(11.3 x 7.1 x10.2in)
N.W.:	1.7kg(3.8lb)
G.W.:	2.5kg(5.5lb)
Accessories:	Safety cable(optional), Clamp(optional)
Certificates:	CE
Environment:	IP20

DIY INSTALL

FROG/FROG WASH




The Froggy is a 10W powered mini LED moving head beam effect with RGBW color mixing. Features auto show(9 preset programs), sound activated, DMX 512 control, 8°/25° narrow beam angle.

Technical Data


Power supply:	100-240 V AC, 50/60 Hz
Light source:	10W RGBW LEDs
Power consumption:	20W
Control mode:	DMX 512, Sound active, Auto program
DMX channel:	9/11
Pan:	540°
Tilt:	270°
Beam angle:	5°
Housing:	Colour black, ABS+Aluminum
Power connection:	16A cable gland power cord
Signal connection:	3 pin XLR in&out
Size:	140 x 110 x 250mm(5.5 x 4.3 x 9.8in)
Package(carton):	286 x180 x 260mm(11.3 x 7.1 x10.2in)
N.W.:	1.7kg(3.8lb)
G.W.:	2.5kg(5.5lb)
Accessories:	Safety cable(optional), Clamp(optional)
Certificates:	CE
Enviroment:	IP20



RGBW	5788	1649	1649	450	388
R	1250	378	279	95	58
G	1554	489	367	150	105
B	2371	706	499	253	179
LUX W	2168	656	476	230	166



RGBW	2609	631	353	236	179
R	535	153	49	17	9
G	786	242	105	48	31
B	1139	333	173	79	53
LUX W	1099	318	160	74	48





FROGGY 360



Key features:

- 10W RGBW LED
- Strong beam effect
- Infinite pan rotation
- DMX, Auto, Sound control
- Preset programs
- Sound activate
- Efficient low noise fan



The Froggy 360 is a 10W powered mini LED moving head beam effect with RGBW color mixing. Features auto show, sound activated, DMX 512 control, 5° narrow beam angle and infinite pan rotation.

Technical Data

Power supply:	100-240 V AC, 50/60 Hz
Light source:	10W RGBW LEDs
Power consumption:	30W
Control mode:	DMX 512, Sound active, Auto program
DMX channel:	15
Pan:	Infinite
Tilt:	270°
Beam angle:	5°
Housing:	Colour black, ABS+Aluminum
Power connection:	IEC in&out
Signal connection:	3 pin XLR in&out
Size:	180 x 100 x 265mm(7.1 x 3.9 x 10.4in)
Package(carton):	230 x 260 x 325mm(9.1 x 10.2 x 12.8in)
N.W.:	1.9kg(4.2lb)
G.W.:	2.5kg(5.5lb)
Accessories:	Power cable, safety cable(optional), Clamp(optional)
Certificates:	CE
Enviroment:	IP20

DIY INSTALL



COMPACT



RGBW LED



DMX 512

PUBBY BEAM/PUBBY WASH

The Pubby Beam/Wash is a 30W powered mini LED moving head beam/wash effect with RGBW color mixing. Features auto show, sound activated, DMX 512 control, IR control available.






Key features:

- 30W RGBW LED
- Strong beam effect (beam)
- Even wash effect (wash)
- Compact design
- DMX, Auto, Sound control
- 9 preset programs
- IR control

Technical Data

Power supply:	100-240 V AC, 50/60 Hz
Light source:	30W RGBW LEDs
Power consumption:	50W
Control mode:	DMX 512, Sound active, Auto program
DMX channel:	12/14
Pan:	540°
Tilt:	270°
Beam angle:	8°/25°
Housing:	Colour black, ABS
Power connection:	IEC in&out
Signal connection:	3 pin XLR in&out
Size:	164 x 124 x 225mm(6.5 x 4.9 x 8.6in)
Package(carton):	239 x 186 x 282mm(9.4 x 7.3 x 11.1in)
N.W.:	2.5kg(5.5lb)
G.W.:	3.5kg(7.7lb)
In cluded accessories:	Power cable, Remote control
Opional accessories:	safety cable(optional), Clamp(optional)
Certificates:	CE
Enviroment:	IP20





COMPACT



RGBW LED




DMX 512



Key features:

- 30W/60 high output white LED
- Compact design
- 7 gobos, 7 colors
- Half color effect
- DMX, Auto, Sound control
- Preset programs
- Manual focus



PUBBY SPOT

The Pubby Spot is a 30W/60W powered mini LED moving head spot light. Features auto programs, sound activated, DMX 512 control, 7 colors with half color effect and 7 gobos with gobo shake.

Technical Data

Power supply:	100-240 V AC, 50/60 Hz
Light source:	30W/60 white LED
Power consumption:	40W/65W
Control mode:	DMX 512, Sound active, Auto program
DMX channel:	9/11
Pan:	540°
Tilt:	230°
Color wheel:	7 colors+open, with half color effect
Gobo wheel:	7 gobos+open, with GOBO shake
Beam angle:	12°
Housing:	Colour black, ABS
Power connection:	IEC in
Signal connection:	3 pin XLR in&out
Size:	205 x 149 x 285mm(8.1 x 5.9 x 11.2in)
N.W.:	3kg(6.6lb)
Accessories:	Power cable, safety cable(optional), Clamp(optional)
Enviroment:	IP20

New

COMPACT



RGBW LED






DMX 512

PUBBY SPOT HYPNO



Key features:

- 60 high output white LED
- RGB 3-in-1 SMD LED ring
- Compact design
- 7 gobos+7 colors
- Half color effect
- DMX, Auto, Sound control
- Preset programs
- Manual focus



The Pubby Spot Hypno is a 60W powered mini LED moving head spot light with LED ring around the main LED. Features auto programs, sound activated, DMX 512 control, 7 colors with half color effect and 7 gobos with gobo shake.

Technical Data

Power supply:	100-240 V AC, 50/60 Hz
Light source:	60 white LED
Power consumption:	65W
Control mode:	DMX 512, Sound active, Auto program
DMX channel:	14
Pan:	540°
Tilt:	230°
Color wheel:	7 colors+open, with half color effect
Gobo wheel:	7 gobos+open, with GOGO shake
Beam angle:	10°
Housing:	Colour black, ABS
Power connection:	IEC in
Signal connection:	3 pin XLR in&out
Size:	205 x 148 x 277mm(8.1 x 5.8 x 10.9in)
N.W.:	3kg(6.6lb)
Accessories(Included):	Power cable, Omega bracket
Accessories(optional):	Safety cable, Clamp
Environment:	IP20



Code: 61007


NEZHA**Key features:**

- 2x10W RGBW LED
- Dual head design
- Infinite pan rotation
- DMX, Auto, Sound control
- Preset programs
- Individual control of each LED

The Nezza is a 2x10W RGBW LED powered mini moving head beam effect. Features auto programs, sound activated, DMX 512 control, infinite rotation of pan.

Technical Data

Power supply:	100-240 V AC, 50/60 Hz
Light source:	2x10W white LED
Power consumption:	30W
Control mode:	DMX 512, Sound active, Auto program
DMX channel:	17/24
Pan:	Infinite
Tilt 1, Tilt 2:	270°
Beam angle:	5°
Housing:	Colour black, ABS
Power connection:	IEC in&out
Signal connection:	3 pin XLR in&out
Size:	125 x 215 x 230mm(4.9 x 8.5 x 9.1 in)
N.W.:	3kg(6.6lb)
Accessories:	Power cable, safety cable(optional), Clamp(optional)
Certificates:	CE
Environment:	IP20





COMPACT



RGBW LED



DMX 512



Key features:

- 3x10W RGBW LED
- Big lens create large output
- Infinite tilt rotation
- DMX, Auto, Sound control
- Preset programs



Code: 61007

HOTWHEEL 300

The Hotwheel 300 is a 3x10W RGBW LED powered mini moving head beam effect. Features auto programs, sound activated, DMX 512 control, infinite rotation of tilt.

Technical Data

Power supply:	100-240 V AC, 50/60 Hz
Light source:	3x10W RGBW LED
Power consumption:	35W
Control mode:	DMX 512, Sound active, Auto program
DMX channel:	17/24
Pan:	540°
Tilt:	Inifinite
Beam angle:	5°
Housing:	Colour black, ABS
Power connection:	IEC in&out
Signal connection:	3 pin XLR in&out
Size:	149 x 189 x 293mm(5.9 x 7.5 x 11.5in)
N.W.:	2kg(4.4lb)
Accessories:	Power cable, safety cable(optional), Clamp(optional)
Certificates:	CE
Enviroment:	IP20





Code: 61007

HOTWHEEL 400



Key features:


- 4 x 10W RGBW LED
- Dual head design
- Infinite pan and tilt rotation
- DMX, Auto, Sound control
- Preset programs
- Individual control of each head
- Big lens create large output

The Hotwheel 400 is a 4 x 10W RGBW LED powered mini moving head beam effect. Features auto programs, sound activated, DMX 512 control, infinite rotation of pan and tilt.

Technical Data

Power supply:	100-240 V AC, 50/60 Hz
Light source:	4 x 10W white LED
Power consumption:	45W
Control mode:	DMX 512, Sound active, Auto program
DMX channel:	21/28
Pan:	Infinite
Tilt 1-2:	Infinite
Beam angle:	5°
Housing:	Colour black, ABS
Power connection:	IEC in&out
Signal connection:	3 pin XLR in&out
Size:	126 x 196 x 311mm(4.9 x 7.7 x 12.2in)
N.W.:	3kg(6.6lb)
Accessories:	Power cable, safety cable(optional), Clamp(optional)
Certificates:	CE
Enviroment:	IP20

DJ INSTALL





COMPACT



RGBW LED



DMX 512

Code: 61007

WINDMILL 2


The Windmill2 is a 4 x 10W RGBW LED powered mini moving head beam effect. Features auto programs, sound activated, DMX 512 control, infinite rotation of both pan & tilt.

Key features:

- 4 x 10W RGBW LED
- Dual head design
- Infinite pan and tilt rotation
- DMX, Auto, Sound control
- Preset programs
- Individual control of each head
- Big lens create large output

Technical Data

Power supply:	100-240 V AC, 50/60 Hz
Light source:	4 x 10W white LED
Power consumption:	55W
Control mode:	DMX 512, Sound active, Auto program
DMX channel:	21/28
Pan:	Infinite
Tilt 1, Tilt 2:	Infinite
Beam angle:	5°
Housing:	Colour black, ABS
Power connection:	IEC in&out
Signal connection:	3 pin XLR in&out
Size:	209 x 126 x 302mm(4.9 x 7.7 x 12.2in)
N.W.:	3kg(6.6lb)
Accessories:	Power cable, safety cable(optional), Clamp(optional)
Certificates:	CE
Environment:	IP20





COMPACT



RGBW LED




DMX 512



Key features:

- 6 x 10W RGBW LED
- Big lens create large output
- Infinite pan & tilt rotation
- DMX, Auto, Sound control
- Preset programs



WINDMILL 3

The Windmill 3 is a 6 x 10W RGBW LED powered mini moving head beam effect. Features auto programs, sound activated, DMX 512 control, infinite rotation of pan & tilt.

Technical Data

Power supply:	100-240 V AC, 50/60 Hz
Light source:	6 x 10W RGBW LED
Power consumption:	72W
Control mode:	DMX 512, Sound active, Auto program
DMX channel:	17/24
Pan:	540°
Tilt:	Infinite
Beam angle:	5°
Housing:	Colour black, ABS
Power connection:	IEC in&out
Signal connection:	3 pin XLR in&out
Size:	149 x 189 x 293mm(5.9 x 7.5 x 11.5in)
N.W.:	2kg(4.4lb)
Accessories:	Power cable, safety cable(optional), Clamp(optional)
Certificates:	CE
Environment:	IP20

New

MAGIC WHEEL 2


The Magic Wheel 2 is a 4 x 10W RGBW LED powered mini moving head beam effect. Features auto programs, sound activated, DMX 512 control, infinite rotation of both X, Y, Z axis.

Key features:

- 4 x 10W RGBW LED
- Dual head design
- Infinite pan and tilt rotation
- DMX, Auto, Sound control
- Preset programs
- Individual control of each head
- Big lens create large output

Technical Data


Power supply:	100-240 V AC, 50/60 Hz
Light source:	4 x 10W white LED
Power consumption:	55W
Control mode:	DMX 512, Sound active, Auto program
DMX channel:	21/28
Pan:	Infinite
Tilt 1, Tilt 2:	Infinite
Z axis:	Infinite
Beam angle:	5°
Housing:	Colour black, ABS
Power connection:	IEC in&out
Signal connection:	3 pin XLR in&out
Size:	209 x 126 x 302mm(4.9 x 7.7 x 12.2in)
N.W.:	3kg(6.6lb)
Accessories:	Power cable, safety cable(optional), Clamp(optional)
Certificates:	CE
Enviroment:	IP20





Key features:

- 6 x 10W RGBW LED
- Big lens create large output
- Infinite X, Y, Z rotation
- DMX, Auto, Sound control
- Preset programs



MAGIC WHEEL 3

The Magic wheel 3 is a 6 x 10W RGBW LED powered mini moving head beam effect. Features auto programs, sound activated, DMX 512 control, infinite rotation X, Y, Z axis.

Technical Data

Power supply:	100-240 V AC, 50/60 Hz
Light source:	6 x 10W RGBW LED
Power consumption:	72W
Control mode:	DMX 512, Sound active, Auto program
DMX channel:	17/24
Pan:	Inifinite
Tilt 1-2:	Inifinite
Z axis:	Inifinite
Beam angle:	5°
Housing:	Colour black, ABS
Power connection:	IEC in&out
Signal connection:	3 pin XLR in&out
Size:	149 x 189 x 293mm(5.9 x 7.5 x 11.5in)
N.W.:	2kg(4.4lb)
Accessories:	Power cable, safety cable(optional), Clamp(optional)
Certificates:	CE
Enviroment:	IP20



COMPACT



RGBW LED



DMX 512

Magic Fingers Y5

The Magic Fingers Y5 is a 5 x 10W powered LED moving head bar with beam effect. Features auto show, sound activated, DMX 512 control, continuous rotation of pan and tilt.



Key features:

- 5 x 10W RGBW LED
- Infinite pan&tilt movement
- Compact design
- DMX, Auto, Sound control
- 9 preset programs

Technical Data

Power supply:	100-240 V AC, 50/60 Hz
Light source:	5 x 10W RGBW LEDs
Power consumption:	50W
Control mode:	DMX 512, Sound active, Auto program
DMX channel:	6/18/29/31
Pan:	infinite
Tilt 1-5:	infinite
Beam angle:	5°
Housing:	Colour black, ABS
Power connection:	Powercon in&out
Signal connection:	3 pin XLR in&out
Size:	610 x 220 x 230mm(24 x 8.7 x 9.1in)
Package(carton):	685 x 285 x 295mm(27 x 11.2 x 11.6in)
N.W.:	7.4kg(16.3lb)
G.W.:	9kg(19.8lb)
In cluded accessories:	Power cable, Omega bracket
Optional accessories:	safety cable(optional), Clamp(optional)
Enviroment:	IP20





MAGIC FINGERS X6

The Magic Fingers X6 is a 6 x 10W RGBW LED moving bar effect. It creates various color beam effect.



Key features:

- 6 x 10W RGBW LED
- Various beam effect
- Compact design
- DMX, Auto, Sound control
- Preset programs

Technical Data

Power supply:	100-240 V AC, 50/60 Hz
Light source:	6 x 10W RGBW LEDs
Control mode:	DMX 512, Sound active, Auto program
DMX channel:	6/14/26/19
Pan:	540°
Tilt 1-6:	270°
Beam angle:	5°
Housing:	Colour black, ABS
Power connection:	Powercon in&out
Signal connection:	3 pin XLR in&out
Size:	610 x 220 x 230mm(24 x 8.7 x 9.1 in)
N.W.:	7.4kg(16.3lb)
G.W.:	9.5kg(20.9lb)
In cluded accessories:	Power cable, Omega bracket
Optional accessories:	safety cable(optional), Clamp(optional)
Enviroment:	IP20





COMPACT



RGB LED





DMX 512

OV-MZ0415

The ov-MZ0415 is a 4 x 15W RGBW 4-in1 LED moving head zoom. It features compact size, 10-60° from beam to wash effect.

Key features:

- 4 x 10W RGBW LED
- Dual head design
- Infinite pan and tilt rotation
- DMX, Auto, Sound control
- Preset programs
- Individual control of each head
- Big lens create large output




Technical Data

Power supply:	100-240 V AC, 50/60 Hz
Light source:	4 x 15W RGBW 4in1 LEDs
Power consumption:	67W
Control mode:	DMX 512, Sound active, Auto program
DMX channel:	10/12/15
Pan:	540°
Tilt:	270°
Zoom range:	10-60°
Housing:	Colour black, ABS
Power connection:	IEC in
Signal connection:	3 pin XLR in&out
Size:	141 x 174 x 247mm(5.6 x 6.9 x 9.7in)
N.W.:	3.2kg(7lb)
Accessories:	Power cable, safety cable(optional), Clamp(optional)
Environment:	IP20



Key features:

- 3x10W RGBW LED
- Big lens create large output
- Infinite tilt rotation
- DMX, Auto, Sound control
- Preset programs



OV-MHB3603

The OV-MHB3603 is a 36 x 3W LED moving head

Technical Data

Power supply:	100-240 V AC, 50/60 Hz
Light source:	36 x 3W RGBW LED
LED color:	8R, 10G, 10B, 8W
Power consumption:	150W
Control mode:	DMX 512, Sound active, Auto program
DMX channel:	9/12/16
Pan:	630°
Tilt:	240°
Housing:	Colour black, ABS
Power connection:	PowerCon in&out
Signal connection:	3 pin XLR in&out
Size:	375 x 320 x 450mm(14.7 x 12.6 x 17.7in)
N.W.:	5.7kg(12.6lb)
Accessories:	Power cable, safety cable(optional), Clamp(optional)
Enviroment:	IP20



An ISO 9001:2015 Co.



Our trademarks:

Hotion Ovation iFROG

Guangzhou Hotion Technology Co., Ltd

Hotion innovation park, 108 Qixing gang road,
Jiahe wanggang, Baiyun District, GuangZhou,
China(510440)

T: +86 020 37411095

E: info@ovationlight.com

www.ovationlight.com | www.hotion.net

Manufacture of:

- Studio Lighting
- Professional Lighting
- Entertainment Lighting
- Architectural Lighting



Download latest catalog

Follow us on:



Instagram
@ovationlight



Twitter
@ovationlight



Facebook
@ovationlighting



Youtube

© Copyright by Hotion 09/2018. All rights reserved.

All specifications are subject to change without prior notice